

पं.खुशीलाल शर्मा,शासकीय (स्वशासी) आयुर्वेद महाविद्यालय एवं संस्थान,  
(साइन्स हिल्स, मैनिट के पीछे, कोलार-नेहरू नगर रोड, भोपाल 462 003)

इलेक्ट्रानिक एवं फर्नीचर आइटमो की आपूर्ति एवं इन्स्टालेशन की निविदा

पं. खुशीलाल शर्मा शासकीय (स्वशासी) आयुर्वेद महाविद्यालय एवं संस्थान, भोपाल के इलेक्ट्रानिक, इलेक्ट्रीकल्स,, सेनेट्री एवं फर्नीचर सामग्री आपूर्ति एवं इन्स्टालेशन हेतु ई-निविदा प्रक्रिया के अन्तर्गत निविदायें आमंत्रित की जाती है। जो कि <https://mptenders.gov.in/> पर निर्धारित समयावधि में उपलब्ध है। निविदा प्रस्तुत करने की नियम निर्देश एवं शर्तें महाविद्यालय की वेबसाइट <http://www.klsgaci.edu.in> पर भी प्रदर्शित होकर उपलब्ध है।

निविदा प्रपत्र डाउनलोड करने की आरंभिक तिथि:-	10.02.2025
निविदा प्रपत्र आनलाइन प्रस्तुत (अपलोड) करने की अंतिम तिथि:-	05.03.2025
तकनीकी निविदा दिनांक डाउनलोड किये जाने की तिथि :-	07.03.2025
निविदा आ अनुमानित मूल्य	:- 20 लाख

:: नियम शर्तें ::

1. निविदा प्रपत्र राशि:- 1000.00
2. ई.एम.डी. राशि रुपये 20000/- (रुपये बीस हजार मात्र) है, जिसे ई-पेमेन्ट के माध्यम से [mptender.gov.in](https://mptender.gov.in) पर tender प्रस्तुत करते समय पेमेन्ट करना होगा। ई.एम.डी. राशि सफल निविदाकार को अनुबंध होने पर नियमानुसार वापस की जावेगी, शेष निविदाकारों की ई.एम.डी.राशि [mptender.gov.in](https://mptender.gov.in) के माध्यम से वापस लौटा दी जावेगी। सफल निविदाकार को निष्पादन प्रतिभूति राशि (अनुबंध राशि के 3 प्रतिशत) बैंक ड्राफ्ट के माध्यम से संस्थान में जमा करना होगी। निष्पादन प्रतिभूति राशि बिना ब्याज के अनुबंध समाप्त होने पर वापस लौटा दी जावेगी। सेवा उपार्जन नियम 2015 यथा संशोधित-2022 के प्रावधानों अनुसार म0प्र0के लघु उद्यम उद्योगों एवं प्रदेश के स्टार्टअप को नियमानुसार छूट रहेगी। इस हेतु म0प्र0सरकार के एम.एस.एम.ई.विभाग द्वारा जारी पंजीयन प्रमाण पत्र तकनीकी निविदा अभिलेखों के साथ अपलोड किया जाना अनिवार्य होगा।
3. ई-निविदा दस्तावेज हस्तांतरणीय नहीं है, निविदाकर्ता द्वारा कार्यादेश का कुछ भाग या पूर्ण भाग अन्य किसी ठेकेदार/व्यक्ति को नहीं सौंपेगा।
4. निविदाकार फर्म के पास जीवित गुमास्ता होना आवश्यक है, जिसे तकनीकी निविदा से साथ संलग्न करना अनिवार्य होगा।
5. निविदाकार फर्म के पास इलेक्ट्रानिक/ फर्नीचर आइटम का अधिकृत विक्रेता होने संबंधित डीलर/सब डीलर होने का अधिकार पत्र होना आवश्यक है, जिसे तकनीकी निविदा से साथ संलग्न करना अनिवार्य होगा।
6. निविदाकर्ता फर्म का वित्तीय वर्ष 22-23 एवं 23-24 का टर्न ओवर न्यूनतम रूपये 40-40 लाख होना आवश्यक है, जिसके साक्ष्य के वित्तीय वर्ष 22-23 एवं 23-24 की आयकर विवरणी की प्रति, एवं सी.ए.द्वारा जारी टर्नओवर प्रमाण पत्र होना आवश्यक है। जिसे तकनीकी निविदा से साथ संलग्न करना अनिवार्य होगा।
7. जी.एस.टी. पंजीयन पत्र की छायाप्रति एवं विगत 03 माह का जी.एस.टी जमा चालान की प्रति तकनीकी निविदा के दस्तावेजों के साथ अपलोड करना आवश्यक है।

8. पै नंबर की छायाप्रति तकनीकी निविदा के दस्तावेजो के साथ अपलोड करना आवश्यक है।
9. सफल निविदाकर्ता को म0प्र0 स्टॉप अधिनियम के नियमों के अनुसार राशि रू0 100.00 (एक सौ रूपये) के नान ज्युडीशियल स्टॉप पर अनुबंध करना होगा।
10. निविदाकर्ता को दरें केवल ई-वित्तीय निविदा की एक्सल शीट में शब्दों एवं अंको में अंकित करना है। शब्दों एवं अंको की राशि में अंतर की स्थिति में शब्दों में अंकित राशि को मान्य किया जावेगा।
11. म0प्र0केसूक्ष्म एवं लघु उद्यम एवं स्टार्टअप्स को म0प्र0भण्डार क्रय तथा सेवा उपार्जन नियम 2015 (यथा संशोधित 2022) की कणिका 23.1 में उल्लेखित अनुसार निर्धारित एल-01 फर्म को सामग्री की आपूर्ति हेतु क्रय आदेश जारी किया जायेगा, यदि वह फर्म निर्धारित अवधि (20 दिवस)में शर्तों का पालन न करते हुए अथवा किसी अन्य कारण से आपूर्ति नहीं करती हैं, तो ऐसी स्थिति में जमा निष्पादन प्रतिभूति की राशि राजसात कर ली जावेगी, तथा संबंधित फर्म को ब्लैक लिस्टिंग की कार्यवाही की जावेगी। जिसकी समस्त जिम्मेदारी निविदाकर्ता फर्म की होगी।
12. अनुबंध, पंजीयन, स्टॉप पेपर आदि व्ययों का वहन निविदाकर्ता फर्म द्वारा किया जावेगा।
13. निविदाकार फर्म किसी शासकीय/अशासकीय/अर्धशासकीय संस्था द्वारा ब्लैक लिस्टेड नहीं होना चाहिये इस हेतु शपथ पत्र राशि रू 100.00 (एक सौ मात्र) के नान ज्युडीशियल स्टॉप पर नोटराइज कराकर तकनीकी निविदा के साथ संलग्न करना अनिवार्य होगा।
14. निविदाकर्ता को आपूर्ति की जाने वाली सामग्री पर 01 वर्ष गारंटी एवं मरम्मत सेवा प्रदान करनी होगी।
15. किसी भी निविदा की समयावधि/स्थान/समय से परिवर्तन करना/निविदा को स्वीकृत करने एवं अस्वीकृत करने का अधिकार प्रधानाचार्य एवं मुख्य कार्यपालन अधिकारी पं. खुशीलाल शर्मा शासकीय (स्वशासी) आयुर्वेद महाविद्यालय एवं संस्थान भोपाल को होगा।
16. संलग्न चेक लिस्ट अनुसार दस्तावेजो को तकनीकी निविदा के साथ अपलोड करना आवश्यक है। चेक लिस्ट के अभिलेखों के आधार पर तकनीकी निविदा का परीक्षण किया जावेगा। इन्ही अभिलेखों के आधार पर तकनीकी निविदा मान्य/अमान्य की जावेगी इनके अतिरिक्त किसी अन्य अभिलेखों को विचार क्षेत्र में नहीं लिया जावेगा।
17. किसी भी प्रकार के विवाद हेतु न्याय क्षेत्र भोपाल म.प्र होगा।
18. किसी भी प्रकार के संशोधन की सूचना संस्थान की वेबसाइट <http://www.klsgaci.edu.in> पर ही प्रदर्शित की जावेगी।
19. आपूर्तिकर्ता को सामग्री पं. खुशीलाल शर्मा शासकीय (स्वशासी) आयुर्वेद महाविद्यालय एवं संस्थान, विज्ञान पहाड़ी, मैनिट के पीछे भोपाल म.प्र. 462003 के स्टोर में स्वयं के व्यय पर पहुंचानी एवं इन्स्टाल करनी होगी।
20. माल दाखिला समिति द्वारा सामग्री का माडल स्पेशिफिकेशन गुणवत्ता परीक्षणोंपरांत सामग्री स्वीकार्य की जावेगी अन्यथा सामग्री संबंधित फर्म को वापस कर दी जावेगी।

**नोट :-** ऐसे निविदाकर्ता जो ए.सी.की आपूर्ति एवं इन्स्टालेशन हेतु निविदा प्रक्रिया में भाग ले रहे हैं उन्हें सलाह दी जाती है कि वह स्थल निरीक्षण कर इन्स्टालेशन में उपयोग होने वाले कापर वायर एवं केविल का आंकलन कर दरें प्रस्तुत करें करें क्योंकि निविदाकर्ता द्वारा वित्तीय निविदा में अंकित राशि के अतिरिक्त किसी भी प्रकार का भुगतान नहीं किया जावेगा ।

प्रधानाचार्य

पं. खुशीलाल शर्मा शासकीय स्वशासी आयुर्वेद  
महाविद्यालय एवं संस्थान भोपाल

पं.खुशीलाल शर्मा,शासकीय (स्वशासी) आयुर्वेद महाविद्यालय एवं संस्थान,  
(साइन्स हिल्स, मैनिट के पीछे, कोलार-नेहरू नगर रोड, भोपाल 462 003)

इलेक्ट्रानिक आइटमो (कम्प्यूटर,प्रिटर,ए.सी,आदि)की आपूर्ति एवं इन्सटालेशन की निविदा

:: तकनीकी निविदा प्रपत्रः

1. निविदाकर्ता फर्म का नाम.....
2. फर्म के प्रो० का नाम.....पिता का नाम.....
3. वर्तमान का पता.....
4. दूरभाष / मोबाईल नम्बर.....
5. जी.एस.टी.नम्बर.....
6. जीवित गुमास्ता नं.....दिनांक.....
7. पैन कार्ड नं.....
8. आनलाइन ई.एम.डी.राशि .....यू.टी.आर.नम्बर.....
9. निविदाकर्ता फर्म का वित्तीय वर्ष 22-23 एवं 23-24 का टर्न ओवर न्यूनतम रूपये 40-40 लाख होना आवश्यक है, जिसके साक्ष्य के वित्तीय वर्ष 22-23 एवं 23-24 की आयकर विवरणी की प्रति,एवं सी.ए.द्वारा जारी टर्नओवर प्रमाण पत्र होना आवश्यक है । जिसे तकनीकी निविदा से साथ संलग्न करना अनिवार्य होगा ।
10. निविदाकार फर्म किसी शासकीय /अशासकीय /अर्धशासकीय संस्था द्वारा ब्लैक लिस्ट नहीं होना चाहिये इस हेतु शपथ पत्र राशि रू० 100.00 एक सौ मात्र के नान ज्युडीशियल स्टॉप पर नोटराइज कराकर तकनीकी निविदा के साथ संलग्न करना अनिवार्य होगा ।
11. निविदाकार फर्म के पास इलेक्ट्रानिक आइटम (कम्प्यूटर,प्रिटर,ए.सी,आदि) का अधिकृत विक्रेता होने संबंधित डीलर /सब डीलर होने का अधिकार पत्र होना आवश्यक है, जिसे तकनीकी निविदा से साथ संलग्न करना अनिवार्य होगा ।
12. एम.एस.एस.इ.फर्म को म०प्र०सरकार के एम.एस.एम.ई.विभाग द्वारा जारी पंजीयन प्रमाण पत्र तकनीकी निविदा अभिलेखों के साथ सलग्न किया जाना आवश्यक होगा ।
13. शासकीय संस्थानों में संबंधित सामग्री की आपूर्ति किये जाने संबंधी अभिलेख की प्रति ।

निविदाकर्ता के हस्ताक्षर  
निविदाकर्ता फर्म की सील

पं.खुशीलाल शर्मा,शासकीय (स्वशासी) आयुर्वेद महाविद्यालय एवं संस्थान,  
(साइन्स हिल्स, मैनिट के पीछे, कोलार-नेहरू नगर रोड, भोपाल 462 003)

इलेक्ट्रानिक आइटमो (कम्प्यूटर,प्रिटर,ए.सी,आदि)की आपूर्ति एवं इन्सटालेशन की निविदा

// चैक-लिस्ट //

उपरोत वर्णित नियम शर्तों अनुसार निम्न दस्तावेजो को तकनीकी निविदा प्रपत्र-01 अनुसार ऑनलाइन जो कि <https://mptenders.gov.in/> पर सबमिट करते समय आवश्यक रूप से अपलोड किया जाना है:-

क्र	दस्तावेज का नाम	संलग्न हों/नही
01	जी.एस.टी.नम्बर	
02	जीवित गुमास्ता	
03	आनलाइन ई.एम.डी.प्रति	
04	पैन कार्ड	
05	निविदाकर्ता फर्म का वित्तीय वर्ष 22-23 एवं 23-24 का टर्न ओवर न्यूनतम रूपये 40-40 लाख होना आवश्यक है, जिसके साक्ष्य के वित्तीय वर्ष 22-23 एवं 23-24 की आयकर विवरणी की प्रति,एवं सी.ए.द्वारा जारी टर्नओवर प्रमाण पत्र होना आवश्यक है ।	
06	निविदाकार फर्म किसी शासकीय/अशासकीय/अर्धशासकीय संस्था द्वारा ब्लैक लिस्ट नही होना चाहिए इस हेतु शपथ पत्र राशि रू0 100.00 एक सौ मात्र के नान ज्युडीशियल स्टाम्प पर नोटराइज कराकर तकनीकी निविदा के साथ संलग्न करना अनिवार्य होगा ।	
07	निविदाकार फर्म के पास इलेक्ट्रानिक आइटम (कम्प्यूटर,प्रिटर,ए.सी,आदि) का अधिकृत विक्रेता होने संबंधित डीलर/सब डीलर होने का अधिकार पत्र होना आवश्यक है, जिसे तकनीकी निविदा से साथ संलग्न करना अनिवार्य होगा। <b>नोट :- जिस आइटम की आपूर्ति हेतु निविदाकर्ता निविदा प्रस्तुत कर रहे है मात्र उसी आइटम का अधिकृत विक्रेता होने संबंधित अधिकार पत्र मान्य किया जावेगा ।</b>	
08	एम.एस.एस.इ.फर्म को म0प्र0सरकार के एम.एस.एम.ई.विभाग द्वारा जारी पंजीयन प्रमाण पत्र तकनीकी निविदा अभिलेखों के साथ सलग्न किया जाना आवश्यक होगा ।	
09	शासकीय संस्थानों में संबंधित सामग्री की आपूर्ति किये जाने संबंधी अभिलेख की प्रति ।	
10	<b>ADDITIONAL SPECIFIC TERMS &amp; CONDITIONS FOR ELIGIBILITY OF MANUFACTURER/BIDDERS FOR SUPPLY</b> संलग्न प्रपत्र अनुसार अभिलेख तकनीकी निविदा के साथ संलग्न किया जाना अनिवार्य होगा ।	

नोट :- चैक लिस्ट के सरल क्र-01 से 09 तक के अभिलेखों के आधार पर ही तकनीकी निविदा का विश्लेषण किया जावेगा इन्ही अभिलेखों के आधार पर तकनीकी निविदा मान्य/अमान्य की जायेगी इनके अतिरिक्त किन्ही अन्य अभिलेखों को विचार क्षेत्र में नहीं लिया जावेगा।

निविदाकर्ता के हस्ताक्षर  
निविदाकर्ता का नाम  
मोबाइल नं/फर्म की सील

**ADDITIONAL SPECIFIC TERMS & CONDITIONS FOR ELIGIBILITY OF  
MANUFACTURER/BIDDERS FOR SUPPLY**

<b>Sr. No.</b>	<b>Description</b>	<b>Document required to be uploaded</b>
1	2% EMD of the total tender /Bid value in the form of FDR/DD in favour of Department	Online mode and Scan copy to be uploaded at the time of tender form submission
2	Defect Liability Period (1 year warranty in all products)	Undertaking in letter head by OEM/Manufacturer duly signed & sealed
3	Stamp Duty	0.1% of Contract amount stamp duty to be submitted at the time of contract.
4	Tool free no for after sales service & complaint resolution	Undertaking in letter head by OEM/Manufacturer duly signed & sealed
5	Escalation method in case of complaint not resolved or delay	Undertaking in letter head by OEM/Manufacturer with complete hierarchy, contact detail & Email ID duly signed & sealed
6	ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (All ISO should be from NABL Accredited Agency)	Self-certified copy to be uploaded
7	The OEM/Manufacturers Certificate	Government registration such as certificate of incorporation/ MSME registration along with self certified order copies
9	Certificate of incorporation of company	Self-certified copy to be uploaded
10	The OEM/Manufacturers GST registration	Self-certified copy to be uploaded
11	The OEM/Manufacturers PAN registration	Self-certified copy to be uploaded
12	The OEM/Manufacturers should have service center in Madhya Pradesh	Undertaking in letter head by OEM/Manufacturer
13	The OEM/Manufacturer/authorised reseller should not be blacklisted in any govt. or Semi govt. or PSU during last 3 year where they have supplied any material / product	Affidavit on non judicial stamp of 100/- to be submitted

14	The OEM/Manufacturer should have experience in similar work in any govt. or semi govt. or PSU for equal or greater amount as per contract value of bid in each of the last three financial year	Supply order along with completion certificate/copy of CRAC to be uploaded
15	The OEM/ Manufacturer should enclose turnover documents of last three financial year	CA certificate with UDIN details to be uploaded
16	The OEM/ Manufacturer should not be NPA as on 31st March 2022	CA certificate to be uploaded
17	The OEM/ Manufacturer should have AIOTA certificate	Self-certified copy to be uploaded
18	The OEM/ Manufacturer should be IGBC Membership certified manufacturer	Self-certified copy to be uploaded
19	The OEM/ Manufacturer should BIFMA Membership certificate	Self-certified copy to be uploaded
20	If any authorised reseller / authorised dealer of any reputed, make is participating the tender / bid he has authorisation of manufacturer / OEM	MAF (manufacturing authorisation form) from OEM/ Manufacturer duly valid the time of bid participation
21	The authorised reseller / authorised dealer should be associated with the OEM/ Manufacturer at least for three financial years (proof of any such documents to be enclosed)	Undertaking on letter head of manufacturer / OEM
22	The authorised reseller / authorised dealer can use all relevant document of its, OEM but he has to enclosed following documents of himself also :-  a) GST  b) PAN  c) Registration of Firm	Valid GST, PAN, Firm Registration of OEM/ Manufacturer
23	The OEM/ Manufacturer should have following machinery and Q/C equipment for installed in their manufacturing unit and if the committee desires to visit plant he must organize the same at his own cost	Third Party feasibility report/Copy of invoices of machinery installed in factory & undertaking on letter head that the given machinery are installed in your factory

	a) Mechanical Power Press 30 MT	
	b) Power CNC M/c minimum 8 ft Length	
	c) Hydraulic / Manual operated Pipe Bending Machine	
	d) Panel Saw Machine	
	e) Post Forming Machine	
	f) Laser/ Turret punch for Sheet Metal Processing Machine	
	g) Pneumatic Tools for fixing of Fasteners, Screws etc.	
	h) Spot Welding & MIG welding machine	
	i)RIP Saw Machine, Woodlath CNC Machine	
24	OEM Authorization : The OEM/ Manufacturer Authorization form for all Hardware and Solutions	Duly Signed, Stamped Authorization form from OEM should be submitted in name of Bidder/ Consortium specific to this Bid.
25	Certificate : All certificate as mentioned in the Technical Compliance	The Documents Should be submitted along with the technical Bid

Note :- MP Govt. Store and Purchase rules 2015 and all instructions of MP State Govt. Regarding purchase and Supply are also applicable



पं. खुशीलाल शर्मा, शासकीय (स्वशासी) आयुर्वेद महाविद्यालय एवं संस्थान  
(साइन्स हिल्स, मैनिट के पीछे, कोलर - नेहरू नगर रोड, भोपाल 462003)

इलेक्ट्रॉनिक आइटमो (कम्प्यूटर, प्रिंटर, ए.सी.आदि) की आपूर्ति एवं इंस्टालेशन की निविदा

:: वित्तीय निविदा प्रपत्र ::

क्रमांक	सामग्री का नाम
o1	Photocopier AS Per specification
o1	Laserjet Single Function Monochrome Laser Printer AS Per specification
o2	ALL IN ONE AS Per specification
o3	DESKTOP AS Per specification
o4	AC Per specification AS Per specification
o5	Vacuum Cleaner AS Per specification
o6	T.V. 55
o7	T.V.75
o8	7 Shelf 12 x 118 x 36 inch Slotted Angle Racks
o9	Stool Chair Black
1o	Premium wood and steel Table
11	Metal Stool
12	Premium high back chair
13	Steel Almihar major
14	Executieve Table
15	Wellton Healthcare Two Section Examination Table,
16	Mild Steel School Tables
17	Metal No. Of Shelves: 4 Shelves Mini Office Almirah
18	Conference table (14 persons)
19	Magna 18 Personal Locker
2o	Executive Chair High Back Type 1
21	Premium visitor chair
22	Multipurpose expandable racks
23	Office table type-ii
24	Steel almirah major with locker
25	Steel almihar minor
26	Free standing unit wooden magazine display cum storage racks, for departmental stores
27	Welbuilt 20.5 Ft (6.2 m) 16 Step Aluminium Telescopic Ladder
28	CANTEEN TABLE (8 Seator)
29	Double Bed Sheet 106X110 200TC 100% Cotton
30	Double Duvet Cover90X108 300TC
31	Pillow Cover 20X32 300TC
32	Bath Towel White 30X60 550GSM
33	Hand Towe White 16X24 550GSM
34	Bath Mat 20X30 1200GSM
35	Stainless Steel Catering Outdoor Dustbin with Stand, Capacity: 21-25 Liters ss202
36	Dish Washing Table with Shelf SS (16*16*8)
37	Side Board (Dining Hall 4X4)
38	1 L Stainless Steel, Plastic Water Jug
39	Plastic Wall Mounted Soap Shampoo Conditioner Hand Wash Gel Dispenser Liquid Soap Sanitizer Dispenser for Bathroom Basin Kitchen Sink

40	Dustbin SS (Small) Stainless Steel Swing Dust Bin with Lid  Garbage Bin, Trash Can for Home, Kitchen, Washroom, Bathroom 10 Liter
41	Dustbin SS (Big) Stainless Steel Swing Dust Bin with Lid Garbage Bin, Trash Can for Home, Kitchen, Washroom, Bathroom 40 Liter
42	XGA Projector Brightness: 3300lm with HDMI Port (White)
43	COPPER, WIRE, 90 MTR, ISI 1mm 1pack
44	COPPER, WIRE, , 90 MTR, ISI 1.5mm 1pack
45	COPPER, WIRE, , 90 MTR, ISI 2.5mm 1pack
46	1/2 Inch Casing Patti Per item
47	1 Inch Casing Patti Per item
48	Flexible wire 24X76 1 mtr
49	Angle batten holder Per item
50	Switch 6A (Old Modul) Per item
51	Soket 6 Amp (Old Modul) Per item
52	ss combined 16amp Per item (power Board)
53	Condenser 2.5mfd Per item
54	Steam element 2000 watt Per item
55	3 pin top 5 amp Per item (Anchor)
56	3 pin top 15, 16, 20 amp Per item (Anchor)
57	china nell rip (1 packet)
58	china clip 04 MM (Per packet)
59	china clip 06 MM (Per packet)
60	china clip 20 MM (Per packet)
61	bulb 15 watt Per item
62	bulb 100 watt (old) Per item
63	led bulb 9 watt Per item
64	Screw kale wale 6/13 (1KG) 1ksu bap
65	Screw 35/8 (Per packet)
66	Screw 1.5 (Per packet) 1 Inch
67	Gang box power bord Per item
68	extension box 3 Mt. Lamba 4 Plug ISI Per item (Anchor)
69	teprol 1 inch (1 Box) Per item
70	switch 6amp (rider modular) Per item
71	Soket 6amp (rider modular) Per item

72	Switch16amp (rider modular) Per item
73	Soket16amp (rider modular) Per item
74	switch 6amp (Penta modular) Per item
75	Soket 6amp (Penta modular) Per item
76	switch 16amp (Penta modular) Per item
77	switch 16amp (Penta modular) Per item
78	3 module plate (Sada) Per item
79	6 module plate (Sada) Per item
80	tube light LED 20WPer item
81	d. o. fuse 33kb 5AmpPer item
82	3 core cable 90 meter pack
83	room heater 2000 watt (Plastic) Per item
84	2000 Watt Induction Cooktop  Digital Display  Touch Panel (1 Year warranty)
85	Aluminium Wire 2.5 mmPer mtr (18Mtr)
86	Electric kettle 1.7 l silver & black
87	बल्ब एल ई डी 5 वाट
88	ली ग्रॉंड साकेट 16 एम पी यर
89	ली ग्रॉंड स्वीच 16 एम पी यर
90	ली ग्रॉंड स्वीच 06 एम पी यर
91	ली ग्रॉंड साकेट 06 एम पी यर
92	बॉम्बे कील इंच 01 इंच आधा इंच
93	बॉम्बे कील इंच 02 इंच ढाई इंच
94	कूलर पम्प
95	Waste Pipe (ISI)
96	Waste copling (ISI)
97	Flush tank short band(ISI)
98	PVC connection pipe 2ft(ISI)
99	Flush tank(ISI)
100	Flush tank handle(ISI)
101	Flush tank syphan kit(ISI)
102	Wash basin(ISI)
103	Bombay nail 2 inch(ISI)
104	Cut screw 1½(ISI)

105	Fastener 4 inch(ISI)
106	Farshner 6 inch(ISI)
107	Teflon tape 1/2 inch(ISI)
108	m-seal 100 gm X 20(ISI)
109	Flench 1/2 inch(ISI)
110	GI socket 1/2 inch(ISI)
111	GI nipple 3 inch(ISI)
112	Bib cock isi(ISI)
123	Angle cock(ISI)
124	pillar cock(ISI)
125	sink cock(ISI)
126	White cement 1kg(ISI)
127	Urinal spreader(ISI)
128	Flush tank long band (ISI)
129	Flush tank short band (ISI)
130	Helfo set(ISI)
131	Western seat cover(ISI)
132	Pipe 1 inch(ISI)
133	Valve 1 inch(ISI)
134	Socket 1 inch(ISI)
135	Elbow 1 inch(ISI)
136	Plane - T 1 inch(ISI)
137	MT - 1 inch(ISI)
138	FT-1 inch(ISI)
139	Pipe 3/4 inch (ISI)
140	Plane elbow 3/4 inch(ISI)
141	Socket 3/4 inch(ISI)
142	Brass elbow 3/4 inch(ISI)
143	Plane T 3/4 inch(ISI)
144	Plug 1/2 inch(ISI)
145	brass gate valve 1 inch(ISI)
146	brass gate 1 1/2 inch(ISI)
147	Solvent PVC 100gm X5 Nos(ISI)
148	Solvent C-PVC 100gmX10 Nos(ISI)

149	Brass Extension Nipple 1/2 inch/6 inch (ISI)
150	Brass Extension Nipple 1/2 inch/9 inch (ISI)
151	Brass T(ISI)
152	PVC 3 inch pipe(ISI)
153	PVC 4 inch pipe(ISI)
154	PVC plug T 4 inch(ISI)
155	PVC plug T 3 Inch(ISI)
156	PVC Plane band 4 inch(ISI)
157	PVC plane band 3 inch(ISI)
158	Nani trap 4 inch (ISI)
159	Parrywear spendal disc(ISI)
160	parrywear flush tank handle(ISI)
161	4 Inch Rollable Pu Foam Mattress 2x6 with cover

#### **01– Photocopier**

Photocopier Machines

trolley added

Technology Laser Mono Photocopier Machine

Connectivity (USB Yes/ LAN / Wi-Fi)

Usage Application- Office/Shop Technology:

Laser (Dry Toner Powder) Functions: Copier,

Printer

Printing Color: Mono/ Black

Printing Size Max: A3

Print Speed in A4: 24 PPM

Print Resolutions (DPI): 600

PC Connectivity: USB wire, Wireless, LAN Paper

weight Min /Max GSM: 60 to 157 Memory Ram: 1

GB

Hard Disk: 2 GB (eMMC)

Duplex Print: Yes

Duplex Scan DADF: Yes Tray

(Sheets): 1 X 250

Bypass (Sheets): 1 X 100

Power Consumption in Watt: Approx. 1150 W

Trolley: Optional

Dimension (W X D X H) MM: 627 X 607 X 698

Machine Weight: Approx.: 31 Kg

Cartridge Capacity (NPG 59): (@5% Coverage Area in A4): Black- 10200 Prints. Drum

Cartridge Life: 60000 Prints.

Printing Capacity Monthly: 25000 Prints

#### **02—PRINTER**

Connectivity Technology USB

Printing Technology Laser  
Special Feature Single Function  
Colour black  
Model Name HP LASERJET PRO P1108 PLUS  
Printer Output Monochrome  
Maximum Print Speed (Colour) 18 ppm  
Max Print speed Monochrome 18 ppm  
Item Weight 5200 Grams

- Printer Type - LaserJet ; Functionality - Single Function (Print Only); Printer Output - Black & White only
- Connectivity - USB
- Compatible Laser Toner - 88A Black Original LaserJet Toner Cartridge; Page Yield - 1500 pages ; Comes with Black LaserJet Toner cartridge
- Warranty - 1 year from the date of purchase
- Pages per minute - 18 pages ; Cost per page - Rs 2 (Black & White) - As per ISO standards
- Page size supported - A4; A5; A6; B5; postcards; envelopes (C5, DL, B5) ; Duplex Print - Manual ; Print resolution - Up to 600 x 600 x 2 DPI (1200 DPI effective output)
- Duty Cycle - Up to 5,000 pages per month; Ideal usage - Home and Small office, Regular / Heavy usage


### 3- ALL IN ONE

23.8 INCH , NON TOUCH (1) WINDOWS 11 HOME, OEM PRE-LOADED (2) PROCESSOR I5 PROCESSOR(LATEST AFTER JANUARY 2021),12 GEN (3) CORE PER PROCESSOR 6(4) BASE FREQUENCY 3 GHZ (5) CACHE 18 MB (6) COMPATIBLE CHIPSET SERIES (07) GRAPHICS TYPE INTEGRATED (8) TYPE OF RAM DDR4 OR ABOVE (9) RAM SIZE 16 GB (10) RAM SPEED 3200 MHZ (11) CAPACITY OF SSD 512 (12) DISPLAY NON TOUCH (13) DISPLAY RESOLUTION 1920 X 1080 PIXEL (14)AUDIO JACKS(15) RAM EXPANDABILITY UP TO 64 GB (16) HEIGHT-ADJUSTABLE STAND, SWIVEL, PIVOT, BUILT-IN CABLE- MANAGEMENT. (17) DISPLAY 23.8 INCHES (18) DISPLAY TECHNOLOGY --LED HD BACKLIT ANTIGLARE, (19) PANEL TECHNOLOGY IPS (20) WIRELESS CONNECTIVITY (21) ETHERNET PORT (22) HDMI PORT (23) INTERNAL SPEAKER (24) ON SITE WARRANTY 03 YEARS(25) BIS REGISTRATION (26) RECOVERY IMAGE MEDIA—ONLINE/CLOUD, (27) END POINT SECURITY SOLUTION (ANTI VIRUS PROTECTION, DEVICE CONTROL VULNERABILITY SCAN, ASSET MANAGEMENT, IDS/IPS, WEB SECURITY AND WEB FILTERING, FIRE WALL, E-MAIL PROTECTION, GROUP & POLICIES, MANAGEMENT FEATURES, NOTIFICATION REPORTING AND LOGGING, WINDOWS PLATFORM SUPPORT

### 4- DESKTOP

DESKTOP I 7, RAM DDR5, 19.5 INCH (1) WINDOWS 11 HOME, OEM PRELOADED (2) PROCESSOR I7 PROCESSOR(LATEST AFTER JANUARY 2021),12 GEN (3) CORE PER PROCESSOR 12(4) BASE FREQUENCY 2.1 GHZ (5) CACHE 25 MB (6) COMPATIBLE CHIPSET SERIES (7) GRAPHICS TYPE INTEGRATED (8) TYPE OF RAM DDR5 OR ABOVE (9) RAM SIZE 16GB (10) RAM SPEED 4400 MHZ (11) CAPACITY OF SSD 512 GB (12) MOTHER BOARD MICRO ATX (13) AUDIO JACKS(14) RAM EXPANDABILITY UP TO 64 GB OR HIGHER (15) CABINET FORM FACTOR TOWER (16) MONITOR 19.5 INCHES, (17) DISPLAY TECHNOLOGY --LED HD BACKLIT ANTIGLARE (18) PANEL TECHNOLOGY IPS / TN, (19) WIRELESS CONNECTIVITY (20) ETHERNET PORT (21) HDMI PORT (22) INTERNAL SPEAKER (23) ON SITE WARRANTY 03 YEARS(24) BIS (25) RECOVERY IMAGE MEDIA—ONLINE/CLOUD (26) END POINT SECURITY SOLUTION (ANTI VIRUS PROTECTION, DEVICE CONTROL VULNERABILITY SCAN, ASSET MANAGEMENT, IDS/IPS, WEB SECURITY AND WEB FILTERING, FIRE WALL, E-MAIL PROTECTION, GROUP & POLICIES, MANAGEMENT FEATURES, NOTIFICATION REPORTING AND LOGGING, WINDOWS PLATFORM SUPPORT.

### 5- AIR CONDITIONER

CAPACITY   
CAPACITY 2 TONS  
COOLING POWER 21420 BRITISH THERMAL UNITS  
SPECIAL FEATURE DUST FILTER  
PRODUCT 23.5D X 95W X 29.4H  
DIMENSIONS CENTIMETERS

- SPLIT AC WITH INVERTER COMPRESSOR: VARIABLE SPEED COMPRESSOR WHICH ADJUSTS POWER DEPENDING ON HEAT LOAD..
- CAPACITY 2 TON: SUITABLE FOR LARGE SIZED ROOMS (151 SQ.FT TO 200 SQ.FT)

- ENERGY RATING 3 STAR: ENERGY EFFICIENCY
- MANUFACTURER WARRANTY: 5 YEAR COMPREHENSIVE ON PRODUCT, 10 YEARS ON COMPRESSOR, 5 YEARS ON PCB/ CONTROLLER.
- 100% COPPER CONDENSER COIL: BETTER COOLING AND REQUIRES LOW MAINTENANCE.
- KEY FEATURES: 4-WAY SWING, ICE CLEAN POWERED BY FROSTWASH TECHNOLOGY, XPANDABLE+ TECHNOLOGY, LONG AIR THROW\*
- SPECIAL FEATURES: ODOUR-FREE AIR, SILENT AIR, PENTA SENSOR TECHNOLOGY.
- REFRIGERANT GAS: R32 - ENVIRONMENTAL FRIENDLY - NO OZONE DEPLETION POTENTIAL . \* ITEM DIMENSIONS & WEIGHT : IDU – 95 CM X 29.4 CM X 23.5 CM (W X H X D), OUTDOOR : 80 CM X 64 CM X 29.8 CM (W X H X D), IDU: 9.6 KG, ODU: 32.9 KG. , \* INCLUDED IN THE BOX: 1 INDOOR UNIT, 1 OUTDOOR UNIT, INTER CONNECTING COPPER PIPE OF 3M LENGTH, 1 REMOTE, 1 MANUALS WITH WARRANTY CARD, 2 BATTERIES.

## 6- VACUUM CLEANERS

7-

VACUUM CLEANER ULTIMO WET & DRY 1400 WATTS, 20 KPA HIGH POWER SUCTION VACUUM CLEANER...

SPECIAL FEATURE - HEPA

FILTER TYPE - HEPA FILTER

INCLUDED COMPONENTS - FLEXIBLE HOSEPIPE, EXTENSION TUBES, FLOOR/CARPET BRUSH, MULTIPURPOSE BRUSH, CREVICE NOZZLE, UPHOLSTERY BRUSH, PAPER DUST BAG AND USER MANUAL FLEXIBLE HOSEPIPE, EXTENSION TUBES, FLOOR/CARPET BRUSH, MULTIPURPOSE BRUSH, CREVICE NOZZLE, UPHOLSTERY BRUSH, PAPER DUST BAG AND USER MANUAL

IS IT CORDLESS? NO

CAPACITY - 20 LITRES

WATTAGE - 1400 WATTS

CABLE LENGTH - 5 METRES

RECOMMENDED USES FOR PRODUCT - INDOOR/OUTDOOR

FORM FACTOR - CANNISTER

- WET & DRY CLEANING: HAS THE ABILITY TO CLEAN BOTH WET AND DRY SPILLS, WHICH MAKES IT EXTREMELY VERSATILE. IT COMPLETELY DOES AWAY WITH THE NEED TO CARRY SEPARATE EQUIPMENT FOR WET AND DRY SPILLS PROFESSIONAL HEAVY DUTY CONSTRUCTION.
- 1400 WATTS POWERFUL MOTOR: THIS VACUUM CLEANER IS POWERED WITH THE BEST-IN-CLASS 1400 W COPPER MOTOR DELIVERING POWERFUL SUCTION OF 20 KPA TO REMOVE DUST AND DIRT. BYPASS TYPE VACUUM MOTOR ENABLING BETTER PERFORMANCE.
- POWERFUL BLOWER: EQUIPPED WITH A POWERFUL BLOWER TO BLOW AWAY DUST AND DIRT.
- POST PURCHASE VIRTUAL DEMO: A DEDICATED CUSTOMER SERVICE EXECUTIVE IS ASSIGNED TO GIVE A LIVE DEMO OF THE PRODUCT OVER A VIDEO CALL.
- TANK CAPACITY: LARGE CAPACITY OF 20 LITRES THAT HELPS YOU CLEAN AT A STRETCH WITHOUT HAVING YOU TO EMPTY THE DUST TANK OFTEN.
- TOP QUALITY WHEELS: SMOOTH MOBILITY PROVIDED WITH RUBBER WHEELS TO AVOID MARKS ON THE FLOOR
- AUTO SHUT OFF TECHNOLOGY: VACUUM CLEANER AUTOMATICALLY SHUTS OFF, PREVENTING OVERHEATING.
- RANGE OF ACCESSORIES: COMES WITH 7 EASY-TO-USE ACCESSORIES FOR DIFFERENT CLEANING NEEDS, THEREBY ENABLING EFFICIENT AND HASSLE-FREE CLEANING- A. EXTENSION TUBES, B. HOSE PIPE, C. HEPA FILTER, D. WET FLOOR HEAD, E. DRY BRUSH, F. UPHOLSTERY BRUSH, G. CREVICE TOOL
- TANK CAPACITY 20 L
- VOLTAGE 220-240 VOLTS / 50 HZ

## 8- TV 55 INCH

TYPICAL BRIGHTNESS OF 440 NITS

55 INCH 1,200:1 À DYNAMIC CONTRAST RATIO 300,000:1

X1 PROCESSOR

ANDROID TV WITH 16GB STORAGE

INSTALLATION FLEXIBILITY WITH 24/7 OPERATION TIME , PORTRAIT & TILT MODE

SCREEN MIRRORING THRU APPLE AIRPLAY & CHROMECAST

SUPPORTS PRO MODE FOR CUSTOMIZED SOLUTIONS REQUIREMENT BY DIFFERENT APPLICATIONS

SPEAKER : DOWN FIRING (10W + 10W)

4 HDMI PORTS, 2 USB PORTS , 1 AUDIO JACK & ETHERNET PORT

STANDARD WARRANTY 3 YEARS

DIRECT LED WITH HDR10 , HLG & DOLBY VISION COMPATIBILITY

**9- LED TV 75 INCH**

TYPICAL BRIGHTNESS OF 440 NITS  
75 INCH 1,200:1 À DYNAMIC CONTRAST RATIO 300,000:1  
X1 PROCESSOR  
ANDROID TV WITH 16GB STORAGE  
INSTALLATION FLEXIBILITY WITH 24/7 OPERATION  
TIME , PORTRAIT & TILT MODE  
SCREEN MIRRORING THRU APPLE AIRPLAY &  
CHROMECAST  
SUPPORTS PRO MODE FOR CUSTOMIZED SOLUTIONS  
REQUIREMENT BY DIFFERENT APPLICATIONS  
SPEAKER : DOWN FIRING (10W + 10W)  
4 HDMI PORTS, 2 USB PORTS , 1 AUDIO JACK &  
ETHERNET PORT  
STANDARD WARRANTY 3 YEARS  
DIRECT LED WITH HDR10 , HLG & DOLBY VISION  
COMPATIBILITY



**-7 Shelf 12 x 118 x 36 inch Slotted Angle Racks**



Breadth	12 inch
Height	118 inch
No. of Shelves	7
Type of Product	Slotted Angle Racks
Length	36 inch
Order Shipment	1 Storage Rack will be delivered to the customer's end in two packets, 1 Packet will consists of angles & another one will consists of shelves.
Material	Mild Steel
Color	Dark Grey
Application	Supermarket, Warehouse
Length (mm)	914.4 mm
Name of Manufacturer	Premier Steel Product /Packer/Importer
Length (cm)	91.44 cm
Height (cm)	299.72 cm
Breadth (mm)	304.8 mm

**Stool Chair Black**



(10)Weight	5 Kg
Color	Black
Dimension	81x46x46 cm
Type of Product	Bar Chair
Frame Material	Metal
Material	Leatherette
Country of Origin	India
Seat Width	45.72 cm
Upholstery Material	Leatherette
Shape	L-Shaped
Seat Material	Polyurethane
Size	Standard

**PREMIUM WOOD & STEEL TABLE**  
Code No. : DX 06 A



**SPECIFICATION**

- Overall size Table Top: 1505mm x 760mm.
- Height: 735mm
- Post formed Table top: 25mm thick MDI board ISI mark with 0.60mm min. thick high pressure post form lamination and front side of drawer by 18mm MDI board in post form.
- Flipping: The edge banding of pre glued tape 2 mm thick of same shade of laminated board, by hot process.
- Under Structure: Square Tubular under structure made of superior quality CRMS tube of 32mm x 32mm x 1.2mm thick.
- Storage unit: H1525mm x W430mm x D760mm. The storage unit shall be made of 18mm pre laminated MDI particle board in the same shade as of table top.
- Back & Side panel: Made of same material as top but shall be of 18mm thick.
- Locking arrangement: A suitable locking arrangement to be provided using precision locks.
- Handles: High quality SS handles are to be provided.
- Shoes: Superior quality rubber shoes are to be provided.
- Finish: Complete under structure to be powder coated after seven tanks anti corrosion treatment.
- The overall appearance of the product shall be as per photograph.

11

**Metal Stool**



12

<b>Upholstery Type</b>	<b>Cushion</b>
<b>Upholstery Included</b>	<b>Yes</b>
<b>Finish Type</b>	<b>Metal Chrome Finish</b>
<b>Primary Color</b>	<b>Black</b>
<b>Secondary Material</b>	<b>Metal</b>
<b>Secondary Material Subtype</b>	<b>Foam</b>
<b>Upholstery Color</b>	<b>Black</b>
<b>Footrest Included</b>	<b>Yes</b>
<b>Armrest Included</b>	<b>No</b>
<b>Wheels Included</b>	<b>Yes</b>

**Group - 'C'**  
**PREMIUM HIGH - BACK CHAIR**  
 Code No. : DX - 01C



**SPECIFICATION**

- Overall Dimension : (Min)- H 1185mm (Max) 1285mm.  
 Seat Height:Min.460-Max.560mm.  
 Depth: 660mm, and width: 640mm.  
 Seat size: 555x560 mm  
 Back size: 530x790 mm
- Material:** Seat and back made up of 12mm thick hot pressed plywood, upholstered with black or brown leatherite fabric with 40-50 hi-density foam. The back with hi-density foam 40 is designed with contoured lumbar support for extra comfort. Foam thickness 60-100mm as per photograph.
- The armrest one piece and made of P.P. and reinforced with M.S. insert and scratch and weather resistant and cushion by foam upholstered with same shade leatherite fabric.
- Castors:** The twin wheel castors shall be injection moulded in black Nylon.
- Pedestal Assy:** The pedestal shall be injection moulded in black 30% glass filled Nylon with gas lift mechanism. Width 700 mm.
- Mechanism:** The tilting mechanism shall be designed with 17degree maximum tilt and shall be provided with the upright lock facility and shall have gas lift mechanism.
- Upholstery:** The seat and back are to be covered with superior quality leatherite fabric.
- Finish:** steel are to be powder coated after seven tanks anti corrosion pretreatment of surface.
- The overall appearance of the product shall be as per photograph.

(92)

\*r/n

**STEEL ALMIRAH MAJOR**  
 Code No. : DX-31 A



**SPECIFICATION**

- Overall Dimensions: H1980 x W915 x D485mm
- Material:** Prime quality MS CRCA sheets 1.0mm for front, side and shelves & 0.8mm for back.
- No. of shelves:** Four forming five compartments. Suitable arrangement shall be provided for adjusting the shelves as per requirement.
- Locking Mechanism:** Three way bolting device with six levers superior quality standard make lock with duplicate keys.
- Pedestal:** Made of 1mm MS CRCA sheet. Height 125mm.
- Hinges:** Double folded type hinges made of MS CRCA sheet thickness 1.8mm to 2.0mm. Three hinges for each door leaf.
- Finish:** Almirah shall be powder coated after seven tanks anti corrosion pretreatment.
- All the accessories shall be superior quality and standard make.
- The overall appearance of the product shall be as per photograph.

**EXECUTIVE TABLE**  
 Code No. - DX 01 A



**SPECIFICATION**

- Overall size Table Top: 1675mm x 865mm with overhang of approx. 115mm on the rear and 57mm of either side.
- Height: 750mm
- Post formed Table top : 25mm thick MDP board ISI mark with 0.60mm (min) thick high pressure post form lamination.
- Lipping:** The edge banding of pre glued tape 2 mm thick of same shade of membrane, by hot process.
- Under Structure:** Square Tubular under structure made of superior quality CRMS tube of 25mmx25x 1.2mm thick or pressed section C' shaped frame of 1.25 mm CRMS sheet of size 20x40x20 Black panel and full length foot rest is to be provided as shown in photograph.
- Storage unit:** The right side storage unit has three box drawers and pull out tray. The left side storage unit has one pullout tray, one box type drawer and one drawer for filing.
- Pull out tray :** A specially designed centre pull out tray is to be provided with height of 50mm. Central and top side trays shall be provided with compartments for keeping office items. All the drawers are to be provided with telescopic sliding channel.
- Overall Dimension of storage units: H-550mm, W-420mm, D-715mm. The thickness of storage units shall be minimum 0.80mm.
- Locking arrangement:** Suitable locking arrangement to be provided using precision locks.
- Handles:** High quality SS handles are to be used
- Shoes:** Superior quality rubber shoes are to be provided.
- Finish:** Complete under structure to be powder coated after seven tanks anti corrosion treatment.
- The overall appearance of the product shall be as per photograph.

Wellton Healthcare Two Section Examination Table,  
 WH-544



Product Specifications

Dimensions – 72X24X32 inch  
 Frame – Mild Steel  
 Table Type – Examination Table

### Mild Steel School Tables



Body Material	Mild Steel
Table Height	3 Feet
Color	Brown and Black
Sheet Thickness	25 mm
Surface Finish	Glossy
Table Top Material	Wooden
Length	5 Feet
Usage/Application	School


### Metal No. Of Shelves: 4 Shelves Mini Office Almira



No. Of Shelves	4 Shelves
Height	1980 mm
No. Of Doors	2 Door
Material	Steel
Color	grey
Size	1980 H x 915 W x 485 D
Brand	Storage Systems
Usage/Application	Office
Delivery Time	3-4 days
Warranty	1 Year
Door Type	Hinged
Finishing	Powder coated
Color Available	Blue,Black, Coral Green, Beige,Burgundy, Silver Grey,Brown etc.

### CONFERENCE TABLE (14 PERSONS)

Code No. : DX - 12B



#### SPECIFICATION

1. Overall Dimension: 3600mm L x 2100mm W x 740mm H.
2. Post formed Table 25mm thick MDF board ISI mark with 0.60mm min.thick high pressure post form lamination
3. Lipping: The edge banding of pre glued tape of same shade of laminated board, by hot process.
4. Construction: Conference table is to be made in four pieces as shown in photograph the Overall size horizontal four persons table shall be 2200L x 700W. Overall size widthwise one person table shall be 700L x 700W. All the four corners are to be covered with half round top as shown. All the tables are to be covered with front panels having height 350mm.
5. The overall appearance of the product shall be as per photograph.

### 18 Personal Locker (Grey)



Colour	Grey
Material	Metal
Recommended Uses For Product	storage
Product Dimensions	40D x 90.5W x
Special Feature	Lockable
Mounting Type	Floor Mount
Room Type	Living Room
Door Style	Slab

**EXECUTIVE CHAIR HIGH BACK TYPE I**  
Code No. : DX - 02C



**SPECIFICATION**

- Overall size : - Total Height: 1000-1100mm Seat Height:425-525mm, Depth: 600mm and width: 530mm.
- Seat size 475x465 mm  
Back size 475x585 mm
- Material: Seat made up of 12mm thick hot pressed plywood, with 40-50 density polyurethane moulded foam min. 50mm thick. The back made of glass filled 30% nylon with nylon mesh fabric.
- The adjustable armrest made of glass filled 30% nylon & top made of polypropylene with eight different position locking.
- Castors: The twin wheel castors should be injected moulded in black Nylon.
- Pedestal Assy: The pedestal shall aluminium die casted as shown in photograph, width 700mm
- Upholstery: The seat and back are to be covered with superior quality Leatherite fabric.
- Mechanism: - The synchro-tilt mechanism with single position lock.


**PREMIUM VISITOR CHAIR**  
Code No. : DX - 13C



**SPECIFICATION**

- Overall Size:- Total Height: 1045mm, Seat Height:520mm, Depth: 685mm, and width: 630mm  
Seat size 555x540 mm  
Back size 520x645 mm
- Material: Seat and back shall be made up of 12mm thick hot pressed plywood, upholstered with black & brown Leatherite and foam with hi density foam 40-50. The back foam is designed with contoured lumbar support for extra comfort. Foam thickness 60-100mm as per Photograph.
- The armrest one piece and made of PP, and reinforced with M.S. insert and scratch and weather resistant and cushion by foam upholstered with same shade Leatherite fabric.
- The tubular frame cantilever type reinforced at the bends to give cushioning effect and added strength and made of dia 32mm x 1.8 to 2.0mm.
- Finish: All steel components are to be Epoxy powder coated after seven tanks anti corrosion pretreatment of surface
- The overall appearance of the product shall be as per photograph.

**MULTIPURPOSE EXPANDABLE RACKS**  
Code No. : DX 52A TO 55A



**SPECIFICATION**

- Overall Dimensions Size:
 

(a) Single Side Main Unit- DX- 52A	:	915mm x D-380mm x H-1980mm.
(b) Single Side Ad On Unit- DX- 53A	:	915mm x D-380mm x H-1980mm.
(c) Double Side Main Unit- DX- 54A	:	915mm x D-535mm x H-1980mm.
(d) Double Side Ad On Unit- DX- 55A	:	915mm x D-535mm x H-1980mm.
- Body Structure: Made up of prime quality MS CRCA sheet 1.0mm thick 3 fold side panel with dia 12mm hole in middle of each panel throughout the height at 25mm pitch for height adjustability of shelf.
- Shelves: Made up of prime quality MS CRCA sheet 0.8mm thick, seven folding shelves making six compartments.
- Back Cover: Fixed only in single sided unit (A&B), made up of preas formed prime quality MS CRCA sheet 0.8mm thick.
- Middle Separator: Made up of prime quality MS CRCA sheet 2 fold 3 side separator 95mm height, 0.8mm thick, fixed only in double sided unit in middle, it works as a book separator as well as a tie member between two side panels.
- End cover: Made up of prime quality MS CRCA sheet 0.8mm thick in different colour shade.
- Finish: All steel components should be epoxy powder coated after seven tanks anti corrosion pretreatment of surface.
- The overall appearance of the product shall be as per photograph.

**OFFICE TABLE TYPE-II**  
Code No. : DX- 15 A



**SPECIFICATION**

- Overall dimensions shall be L 1500 x D 750 x H 735mm.
- The vertical legs shall be of 30 x 1.25 mm dia CR tube.
- The top frame shall be of C channel of 1.25 mm CR sheet.
- The pedestal's drawers shall be made of CR sheet 0.80 mm and its depth shall be maximum. The pedestal can be put on the left or right side.
- The drawers shall be mounted on telescopic sliding channel.
- The legs shall have height adjusting system.
- The panels shall be perforated and of 1.0mm CR sheet duly fitted on two sides.
- The top shall be made of 25mm ISI mark PL/PB, with proper reinforcement under it.
- The overall appearance of the table shall be as per Photograph.

**STEEL ALMIRAH MAJOR WITH LOCKER**  
Code No. : DX-33A



**SPECIFICATION**

1. Overall Dimension: H1980 x W915 x D485mm
2. Locker: One no Locker with locking arrangement shall be provided in second compartment from the top. The dimensions of locker shall be H300 x W908 x D430mm.
3. Material: Prime quality MS CRCA sheets 1.0mm for front, side and shelves & 0.8mm for back.
4. No. of shelves: Four forming five compartments. Suitable arrangement shall be provided for adjusting the shelves as per requirement.
5. Locking Mechanism: Three way bolting device with six levers superior quality standard make lock with duplicate keys.
6. Pedestal: Made of 1mm MS CRCA sheet. Height 125mm.
7. Hinges: Double folded type hinges made of MS CRCA sheet thickness 1.8mm to 2.0mm. Three hinges for each door leaf.
8. Finish: Almirah shall be powder coated after seven tanks anti corrosion pretreatment.
9. All the accessories shall be superior quality and standard make.
10. The overall appearance of the product shall be as per photograph.

**STEEL ALMIRAH MINOR**  
Code No. : DX-32A



**SPECIFICATION**

1. Overall Dimensions: H1266 x W760 x D430mm
2. Material: Prime quality MS CRCA sheets 1.0mm for front, sides and shelves & 0.8mm for back.
3. No. of shelves: Three forming four compartments. Suitable arrangement shall be provided for adjusting the shelves as per requirement.
4. Locking Mechanism: Three way bolting device with six levers superior quality standard make lock with duplicate keys.
5. Pedestal: Made of 1mm MS CRCA sheet. Height 125mm.
6. Hinges: Double folded type hinges made of MS CRCA sheet 1.8mm to 2.0mm. Two hinges for each door leaf.
7. Finish: Almirah shall be powder coated after seven tanks anti corrosion pretreatment.
8. All the accessories shall be superior quality and standard make.
9. The overall appearance of the product shall be as per photograph.

**Free Standing Unit Wooden Magazine Display cum Storage Racks, For Departmental Stores**



Material	Wooden
Usage/Application	Departmental Stores
Rack Type	Free Standing Unit
No. Of Shelves	5 Shelves
Length	78 inch
Breadth	57 inch
Depth	16 inch
Weight Tolerance Capacity	50 Kg
Delivery Time	One Week to Ten Days
Warranty	No Warranty
Color	Brown
Condition	New Only
Assembly Required	No
Country of Origin	Made in India


**Welbuilt 20.5 Ft (6.2 m) 16 Step Aluminium Telescopic Ladder**



Model No	<b>EBPC1549</b>
Type of Product	<b>Telescopic Ladder</b>
No. of Steps	<b>16</b>
Material	<b>Aluminium</b>
Color	<b>Black and Silver</b>
Weight	<b>16.3 kg</b>
Load Capacity	<b>150 kg</b>
Dimension	<b>50x12.7x625 cm</b>
Maximum Load Capacity	<b>150 Kg</b>
Max Extended Height (ft)	<b>20.5</b>

## CANTEEN TABLE (8 Seator)

Code No. : DX - 46A



### SPECIFICATION

1. Overall size:- L-2130mmx D-915mmxHt-760mm
2. Six-legged under-structure made of prime quality CR MS square tube 30mmx 30mm x 1.0mm thick.
3. Stool Frame: Four-pronged steel-frame of 25mm dia round, CR MS tube of 1.6 thickness for stools.
4. Stools tilting on steel-pivot brackets.
5. Both side foot-rests in table joint with one support.
6. All steel parts powder-coated with 50-60 micron.
7. Top: 0.8mm thick stainless-steel properly bent & edge-formed, supported by 12mm waterproof Ply fitted with CSK screw & nut.
8. Stool Top made up of 0.8mm thick stainless steel dia 300mm, supported on 12mm Ply fitted with CSK screw on 19mmx3 mm thick MS flat welded on stool frame.
9. Construction-Knockdown (folding) as per photograph.

•

S.N.	Name of Item & specification
29	Double Bed Sheet 106X110 200TC 100% Cotton
30	Double Duvet Cover 90X108 300TC
31	Pillow Cover 20X32 300TC
32	Bath Towel White 30X60 550GSM
33	Hand Towe White 16X24 550GSM
34	Bath Mat 20X30 1200GSM
35	Stainless Steel Catering Outdoor Dustbin with Stand, Capacity: 21-25 Liters ss202
36	Dish Washing Table with Shelf SS (16*16*8)
37	Side Board (Dining Hall 4X4)
38	1 L Stainless Steel, Plastic Water Jug
39	Plastic Wall Mounted Soap Shampoo Conditioner Hand Wash Gel Dispenser Liquid Soap Sanitizer Dispenser for Bathroom Basin Kitchen Sink

40	Dustbin SS (Small) Stainless Steel Swing Dust Bin with Lid   Garbage Bin, Trash Can for Home, Kitchen, Washroom, Bathroom 10 Liter
41	Dustbin SS (Big) Stainless Steel Swing Dust Bin with Lid Garbage Bin, Trash Can for Home, Kitchen, Washroom, Bathroom 40 Liter

#### 42- XGA Projector Brightness: 3300lm with HDMI Port (White)

<b>Product Dimensions</b>	12.1 x 8.7 x 9 cm; 2.4 kg
<b>Batteries</b>	1 A batteries required.
<b>Item model number</b>	V11H971040
<b>Hardware Interface</b>	HDMI
<b>Resolution</b>	XGA
<b>Compatible Devices</b>	Laptops, Smartphones, Gaming Consoles, Blu-ray Players, Other Media Players
<b>Special Features</b>	3300 Lumens in Colour Brightness & White Brightness), Speakers
<b>Mounting Hardware</b>	Power Cable: 1.8m Computer Cable (VGA Cable): 1.8m USB Cable: 1.8m Remote Control: Yes, with Battery AA x 2
<b>Number of items</b>	1
<b>Remote Control Description</b>	IR
<b>Display Technology</b>	LCD
<b>Display Type</b>	LCD
<b>Image brightness</b>	3300
<b>Image contrast ratio</b>	15000:1
<b>Aspect Ratio</b>	16:9
<b>Screen Resolution</b>	1024 x 768
<b>Resolution</b>	1024 X 768 Pixels
<b>Noise Level</b>	37 dB
<b>Wattage</b>	50 Watts
<b>Batteries Included</b>	No
<b>Batteries Required</b>	No
<b>Battery cell composition</b>	Alkaline
<b>Refresh Rate</b>	120 Hz
<b>Total USB ports</b>	2

<b>Connector Type</b>	VGA, USB, HDMI
<b>Form Factor</b>	Portable
<b>Mounting Type</b>	Ceiling Mount
<b>Does it contain liquid?</b>	No
<b>Includes Rechargeable Battery</b>	No
<b>Includes remote</b>	Yes
<b>Item Weight</b>	2 kg 400 g